SmartVOX®

RADIO VOICE ALERT SYSTEM











PROCESS

FIRE ALARM

GENERAL WARNING APPLICATION



THE INNOVATIVE SOLUTION TO ALERT AND TO COMMUNICATE



ADVANTAGES OF SmartVOX® SYSTEM



WIRELESS COMMUNICATION BETWEEN PRODUCTS

Reduce wiring cost and gain flexibility for future site upgrades: freely add or move SmartVOX® equipments as needed!



PRE-RECORDED AND FULLY CUSTOMISABLE VOICE MESSAGES

Deliver clear information and increase efficiency.



VERY HIGH OUTPUT: UP TO 126 dB (A) AT 1 M

Alert over long distances and in very noisy environments, while reducing the number of sounders



ALERT SCENARIOS TAILORED TO EVERY SITUATION

Broadcast the appropriate messages using the wide range of configurable triggering devices.



BUILT IN BATTERY BACK UP

Stay operational and continue broadcasting even in case of power cuts.



SELF MONITORING

Continuously supervise the network devices and components (battery, main power supply, radio communication, system...)



OUTPUT RELAYS AND TRIGGERING INPUTS

Interface SmartVOX® devices with other equipment (e.g. 5G modem, PLC, gates ...)




HIGH INGRESS PROTECTION RATING

Install SmartVOX® devices indoors or outdoors (IP66 - IP67)



REDUCED INSTALLATION COST



LORA RADIO LINK


SmartVOX® devices communicate via a LoRa radio link and require only a 12 Vcc or 230 Vac power supply. When multiple SmartVOX® sounders are installed, they automatically form a secure mesh network where each unit acts as a repeater. This topology extends both the coverage and reliability of the network.

This innovative wireless technology offers:

- High reliability
- Long-distance communication: up to 1.2 km in open areas between two SmartVOX® units
- Excellent coverage in buildings

EFFORTLESS CUSTOMISATION

SmartVOX® devices are fully customisable via the application available on PC and Android mobile.



Connect via Bluetooth and USB:

- Select sounds and messages from the library or create your own using the integrated text-to-speech feature.
- Set conditions and broadcast durations for each scenario.
- · Create groups for targeted broadcasts and alerts by zone.
 - Adjust the sound level of each SV sounder and scenario.
 - Set security parameters (PIN code, radio network identifier...).

SmartVOX® RANGE

RADIO VOICE SOUNDERS







	White	Grey	Red
12 Vcc	SV012AW	SV012AG	SV012AR
230 Vac	SV230AW	SV230 A G	SV230AR

To add an option, replace the letter **A** with the letter of the corresponding option.

Option T Tropicalised electronics

RADIO VOICE SOUNDERS WITH BEACONS







	White	Grey	Red
12 Vcc	SVL012AWx	SVL012AGx	SVL012ARx
230 Vac	SVL230AWx	SVL230AGx	SVL230ARx

To add an option, replace the letter **A** with the letter of the corresponding option.

Option T Tropicalised electronics

For the lens color, replace the letter ${\bf x}$ with the corresponding number.















RADIO REMOTE CONTROL



1 button	SR1AW
4 buttons	SR4AW

RADIO REMOTE CONTROL BOX



White and black enclosure	SB6AB
White and red enclosure	SB6AR

RADIO MANUAL CALL POINT









Black	Red	Green	Waterproof
SC1AB	SC1AR	SC1AG	SCW1AR

ACCESSORIES -

Clear protective cover for manual call points	SA003
Wall mounting bracket for remote control box	SA004
Pole mounting kit for voice sounders	SA009





WE ARE COMMITTED TO PROTECTING LIVES

SUPPORT FROM START TO FINISH

A team of experts supports you at every stage of your project:

technical salespeople, product manager, engineers.

ABSOLUTE REQUIEREMENT ON PRODUCTS QUALITY

With more than 40 years of experience in industrial environments, our products are designed to withstand rough environments.

HIGH QUALITY SERVICE AND REACTIVITY

Hotline, preventive maintenance, remote support, personalised advice... ae&t brings its expertise at each stage of your project.

CONTACT US FOR PERSONALISED ADVICE

(\(+33(0)5 59 06 06 00



sales@aet.fr













